

IN THE CLAIMS:

The following is a complete listing of the claims in this application, reflects all changes currently being made to the claims, and replaces all earlier versions and all earlier listings of the claims:

1. (currently amended): A facsimile apparatus comprising:

an operation panel arranged in an upper front position of an apparatus main body;

a display unit ~~which is~~ arranged in a upper portion of the apparatus main body,
closably arranged relative to said operation panel, located in an upper ~~and~~ rear position of said
operation panel upon opening, and overlaid onto said operation panel upon closing;

a document inserting port[[,]] ~~arranged in a rear position of said opened display~~
~~unit of the upper portion of the apparatus main body, for inserting a document~~ from a location to
the rear of said display unit when said display unit is closed; and

a recording paper inserting port[[,]] ~~arranged in a rear position of said opened~~
~~display unit of the upper portion of the apparatus main body, for inserting a~~ recording paper
sheet from a location to the rear of said display unit when said display unit is closed.

2. (original): An apparatus according to claim 1, wherein said display unit is
rotated around a rotational center portion as a fulcrum provided for the rear portion of said
operation panel, so that it is opened or closed to said operation panel.

3. (original): An apparatus according to claim 1, wherein an opening angle of said display unit is variable.

4. (currently amended): An apparatus according to claim 1, further comprising:
a first display apparatus arranged on a first surface of said display unit; and
a second display apparatus arranged on a second surface of said display unit
opposite to said first surface, ~~and~~

wherein

when said display unit is opened, said first display apparatus is exposed
and said second display apparatus is hidden from a user, and

when said display unit is closed, said first display apparatus is hidden and
said second display apparatus is exposed to the user.

5. (currently amended): An apparatus according to claim 4, wherein a first button
group and a second button group are arranged on said operation panel, and

when said display unit is closed, said first button group is hidden and said second
button group is exposed to the user, and

when said display unit is opened, both of said first button group and said second
button group are exposed to the user.

6. (currently amended): An apparatus according to claim 5, wherein
~~said the~~ first button group is buttons regarding ~~the~~ operation of contents which are
displayed to said first display apparatus and

~~said the~~ second button group is buttons by which the operation can be executed only by displaying onto said second display apparatus without displaying onto said first display apparatus.

7. (currently amended): An apparatus according to claim 4, wherein
a third button group is arranged in an area out of an area of said first display apparatus of ~~said the~~ first surface,

the user is notified of functions of ~~said the~~ third button group by displaying onto said first display apparatus, and

the functions of ~~said the~~ third button group are changed due to a change in contents displayed to said first display apparatus.

8. (original): An apparatus according to claim 4, further comprising detecting means for detecting opening/closure of said display unit, wherein

when said display unit is opened, said first display apparatus is set to a display mode and said second display apparatus is set to a non-display mode, and

when said display unit is closed, said first display apparatus is set to the non-display mode and said second display apparatus is set to the display mode.

9. (new): An apparatus according to claim 1, wherein said display unit does not cover said document inserting port and said recording paper inserting port.

10. (new): An apparatus according to claim 5, wherein the second button group includes buttons regarding telephone operation.

11. (new): An apparatus according to claim 10, wherein the second button group includes numeral buttons which are used when the user pushes a telephone number.